

Flying Geese Wall Quilt

Waste Triangle Project

Copyright 2003 Pat Speth, Author of *Nickel Quilts*

This project is a great way to make use of the waste triangles created while making certain quilts in the book *Nickel Quilts* or from other projects. For lecture and workshop information, email Pat Speth at pat@patspeth.com.

Block Size: 5" (if you trim the waste triangles to 1 3/4" square) **See step 1 before trimming.**

Quilt Size: 26 1/2" x 36 1/2"

Block Set: 4 x 6

Number of Blocks: 24

Half Square Triangles needed for project: 192

Half Square Triangles needed for each block: 4 pair or 8 singles


Material for block sides: 1/2 yd.

Inner Border: 1/4 yd. Cut inner border strips 1 1/2" wide.

Outer Border & Binding: 3/4 yd. Cut outer border strips 2 1/2" wide. Cut binding strips 2 1/2" wide.

Backing fabric: 1 yd.


The Flying Geese Block is made up of 4 Flying Geese Units.




Each Flying Geese Unit is made up of 2 Waste Half Square Triangle Units.




1. Select either a matching pair of Waste Half Square Triangle Units or 2 singles, whatever you have on hand. Press one to the dark the other to the light before trimming up to 1 3/4" square.



2. Sew the 2 Waste Half Square Triangle Units into Flying Geese Units.




3. Join 4 Flying Geese Units together. 4. Cut sidepieces 1 3/4" x 5 1/2" add to Flying Geese Units.




(1)

5. Sew the blocks into rows alternating the direction of every other block.




rows 1, 3 & 5




rows 2, 4 & 6

6. Join the rows together to form the quilt top.

7. Add borders, layer the quilt top with batting and backing. Hand or machine quilt, bind the edges, add a label and enjoy.



(2)



(3)

Copyright 2003 Pat Speth, Author of *Nickel Quilts*